**GOVERNMNET OF ANDHRA PRADESH**

**ABSTRACT**

Public Services – R&B Department – Departmental proceedings initiated against Sri P.Srimannarayana, the then SE(R&B) and 3 others for deviating the tender, conditions while concluding the agreement in the work of "Cyclone Damage Repairs to Gannavaram – Puttagunta road R&B Divn., Vijayawada - Imposition of penalty of with holding (1) one increment, without cumulative effect - Orders - Issued.

---

**TRANSPORT, ROADS AND BUILDINGS (VIG.) DEPARTMENT**

**G.O.RT.No. 191** **Dated: 28-06-2017**

Read the following:

1. From D.G GA(V&E) Deptt Appraisal report No.47(1025 /V&E /E2/2010, Dt. 26.05.2012
2. From ENC(R&B) Admn., Memo.No.1005/VC(1)/2012-2 dt. 18.10.2012
3. From E-in-C(R&B) Admn.,Lr.No.1005//VC(1)/2012, dt. 29.10.2015.

&&&

**ORDER**:

Charges were issued, vide reference second read above, against (1) Sri P. Srimannarayana, the then Superintending Engineer (R&B) Circle, Vijayawada, (2) Sri K.V.Raghavendra Rao, the then Deputy Superintending Engineer (R&B) Circle, Vijayawada, (3) Smt. T.Jyothi, Technical Officer, R&B Circle, Vijayawada and (4) Smt. T. Sunitha, Asst. Technical Officer, (R&B) Circle Vijayawada for deviating the tender conditions while concluding the agreement and also failed to obtain prior approval for deviations in the executed reaches from the competent authority in the work of "Cyclone Damage Repairs to Gannavaram – Puttagunta road from Km 0.000 to Km 19.000 in R&B Divn., Vijayawada

2) The above said Charged Officers submitted their Written Statements of Defence ,vide reference third read above and requested for dropping further action against them. The Engineer-in-Chief(R&B) Administration vide reference third read above has submitted the report

3) Government after careful examination of the matter, it is observed that since the Charged Officers are deviated the tender conditions while concluding the agreement and not obtaining the prior approval for deviations in execution of reaches from the competent authority in respect of work of "Cyclone Damage Repairs to Gannavaram- Puttagunta road from Km 0.000 to Km 19.0000 in R&B Division, Vijayawada. Therefore, it is decided to impose a minor penalty of withholding one (1) increment without cumulative effect under Rule 9 (iv) of APCS (CC&A) Rules, 1991 against all the said (4) Charged Officers, as a measure of penalty

4) Accordingly, Government hereby impose the penalty of withholding of one (1) increments without cumulative effect against (1) Sri P. Srimannarayana, the then Superintending Engineer(R&B) Circle, Vijayawada, (2) Sri K.V.Raghavendra Rao, the then Deputy Superintending Engineer (R&B) Circle, Vijayawada, (3) Smt. T.Jyothi, Technical Officer, R&B Circle, Vijayawada and (4) Smt. T. Sunitha, Asst. Technical Officer, (R&B) Circle Vijayawada.

(P.T.O)

5. The Engineer-in-Chief (R&B) Administration, shall take necessary further action in the matter accordingly.

(BY ORDER AND IN THE NAME OF THE GOVERNOR OF ANDHRA PRADESH)

SUMITA DAWRA
PRINCIPAL SECRETARY TO GOVERNMENT

To
The Individuals through the ENC(R&B), Admn. **A** block, Anjaneya Towers, Ibrahimpatnam, Vijayawada
The Engineer-in-Chief(R&B) Administration A' block Anjaneya Towers, Ibrahimpatnam, Vijayawada.

**Copy to:**
The Secretary, Andhra Pradesh Vigilance Commission, A.P. Secretariat, Velagapudi.
The Director General ,General Administrative (V&E) Department
SF/SC.

//FORWARDED :: BY ORDER//

SECTION OFFICER